

**OPN-CHEMIE OTTO PETRI GmbH**

*Produktion techn. Aerosole - Sprays*

In der Au 14, D-57290 Neunkirchen / Germany

Phone: +49 (0) 27 35 / 77 25-0 Fax: +49 (0) 27 35 / 77 25-90

[www.opn-chemie.de](http://www.opn-chemie.de) [info@opn-chemie.de](mailto:info@opn-chemie.de)



## ***Product Information***

### ***OPN-Zinc Repair Paint***

***- abrasion proof -***

***- bright silver -***

#### **Properties:**

- **visually similar to the fresh galvanizing**
- **abrasion resistant**
- contained metal pigments are temperature-resistant against short-term, dry heat up to approx.+ 200°C
- reliable protection against the weather etc.
- triple corrosion protection - zinc and aluminium pigments and resins protect the coated steel
- good adhesive corrosion protection on zinc and iron when used properly

#### **Application Range:**

- for repairing weld seams and defects on galvanized construction, etc.

#### **Application:**

**Our information are recommendations based on our own experience. We accept no liability for any damage without tests concerning suitability for the specific application, without preliminary trials and if the product is misused.** Remove rust thoroughly from the base, degrease and clean mechanically blank. Apply **Zinc Repair Color** in 1 to 2 layers. By gently nudging with a brush, a spangle-like structure can be achieved. The repaired spots are always vulnerabilities of hot galvanized parts, therefore the layer thickness must be at least 100my at the repaired area, according to EN ISO 1461.

**Only for professional use! Always observe data sheet before use.**

**Dilution:** standard cellulose thinner

**Storage stability:** in cool, dry areas **at least 6 months, in containers closed**

#### **Delivery information:**

**Art.-No. 68250** Patent top cans: 1 liter content

**Art.-No. 68255** Bucket: 10 liter content

**Observe the information on the label and of the EC-safety data sheet!**

Our technical information has been compiled carefully to the best of our knowledge. Because of the many possible influences during processing and use of the products they do not relieve the processor of its own, conscientious exams! A legally binding assurance of certain properties or of the suitability for a particular purpose can not be derived from our information. Existing laws and regulations must be checked and observed from the processor of our products before use in his own responsibility.

**All text passages are subject to the copyright of OPN-CHEMIE OTTO PETRI GmbH.**