OPN-CHEMIE OTTO PETRI GmbH

Produktion techn. Aerosole - Sprays In der Au 14, D-57290 Neunkirchen / Germany

Phone: +49 (0) 27 35 / 77 25-0 Fax: +49 (0) 27 35 / 77 25-90

www.opn-chemie.de info@opn-chemie.de



Product Information

OPN-Long Term Adhesive Lubricant Spray with PTFE

- tough adhesive
- creeping ability
- silicone free

Properties:

- extreme lubricant, bright, on partly synthetic base
- PTFE enhances the lubrication performance
- tough adhesive, creeping ability
- water and salt water repellant
- creeps into tiny spaces
- good corrosion protection
- resistant to temperatures from about -5°C up to about +140°C

Application Range:

• for use in a lot of roller and ball bearings (after test of suitability), fast running chains, wire ropes, etc.

Application:

Our information are recommendations based on our experience. We accept no liability for any damage without tests concerning suitability for the specific application, without preliminary trials and if the products is misused. Shake can well before use, clean parts, apply targeted from a distance of about 20 cm, extreme adhesion after evaporation of the solvent.

Only for professional use! Always observe safety data sheet before use.

Delivery information: Art.-No. 61315

Spray: 500 ml Content, Packing Unit: 12 Cans/Carton

Observe the information on the label and of the EC-safety data sheet!

Our technical information has been compiled carefully to the best of our knowledge. Because of the many possible influences during processing and use of the products they do not relieve the processor of its own, conscientious exams! A legally binding assurance of certain properties or of the suitability for a particular purpose can not be derived from our information. Existing laws and regulations must be checked and observed from the processor of our products before use in his own responsibility.