



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trade name	OPN-Rust Remover MOS 2
	Unique formula identifier (UFI)	F5KD-Y5YP-700Y-46QH
	Other means of identification	
	Article number	60511
	Tariff No	34031980
1.2	Relevant identified uses of the substance or mixture and uses advised against	
	Relevant identified uses	Cleaning agent Industrial use Professional use Consumer use (private households)
	Sector of use	Rustremover
	Uses advised against	Do not use for products which come into contact with foodstuffs
1.3	Details of the supplier of the safety data sheet	
	OPN-CHEMIE GmbH In der Au 14 57290 Neunkirchen	
	www.opn-chemie.de	
	Competent person responsible for the safety data sheet	Barbara Angelika Gros-Petri
	e-mail (competent person)	baerbel.petri@opn-chemie.de
1.4	Emergency telephone number	
	Emergency information service	Poison Information Center Freiburg +49(0)761/19240

### SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture  
Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Hazard class and category	Hazard statement
2.3	Aerosols	Aerosol 1	H222,H229
3.2	Skin corrosion/irritation	Skin Irrit. 2	H315
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	STOT SE 3	H336
4.1C	Hazardous to the aquatic environment - chronic hazard	Aquatic Chronic 2	H411

#### Remarks

For full text of abbreviations: see SECTION 16  
The most important adverse physicochemical, human health and environmental effects  
Spillage and fire water can cause pollution of watercourses.

- 2.2 Label elements  
Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### Pictograms

GHS02, GHS07, GHS09



#### Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

### Precautionary statements

P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P261 Avoid breathing spray.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P312 Call a POISON CENTER/doctor if you feel unwell.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.  
P501 Dispose of contents / container in accordance with national regulations of the disposal.

### Additional labelling requirements

Buildup of explosive mixtures possible without sufficient ventilation.

### Hazardous ingredients for labelling

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

### 2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients





### 3.1 Substances

Not relevant (mixture).

### 3.2 Mixtures

Description of the mixture

Mixture of substances listed below with nonhazardous additions

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane	EC No 921-024-6  REACH Reg. No 01-2119475514- 35-xxxx	25 – < 50	Flam. Liq. 2 / H225 Skin Irrit. 2 / H315 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
Butane	CAS No 106-97-8  EC No 203-448-7  REACH Reg. No 01-2119474691- 32-xxxx	25 – < 50	Flam. Gas 1A / H220 Press. Gas L / H280	
Propane	CAS No 74-98-6  EC No 200-827-9  REACH Reg. No 01-2119486944- 21-xxxx	5 – < 10	Flam. Gas 1A / H220 Press. Gas C / H280	
Distillates (petroleum), solvent-dewaxed light paraffinic	CAS No 64742-56-9  EC No 265-159-2  REACH Reg. No 01-2119480132- 48-xxxx	5 – < 10	Asp. Tox. 1 / H304	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	EC No 925-653-7  REACH Reg. No 01-2119458869-15-xxxx	1 – < 5	Asp. Tox. 1 / H304 Aquatic Chronic 3 / H412	
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	EC No 919-446-0  REACH Reg. No 01-2119458049-33-xxxx	1 – < 5	Flam. Liq. 3 / H226 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
Isobutane	CAS No 75-28-5  EC No 200-857-2  REACH Reg. No 01-2119485395-27-xxxx	1 – < 5	Flam. Gas 1A / H220 Press. Gas C / H280	

### 3.3 Remarks

For full text of abbreviations: see SECTION 16

### 3.4 Regulation (EC) no. 648/2004 on detergents / Labelling for contents

Aliphatic hydrocarbons.  
Aromatic hydrocarbons.

30 % and more.  
Less than 5 %.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

#### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

Narcotic effects.

### 4.3 Indication of any immediate medical attention and special treatment needed

none

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media  
Suitable extinguishing media  
Water spray. BC-powder.  
Unsuitable extinguishing media  
Water jet.
- 5.2 Special hazards arising from the substance or mixture  
In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.  
Hazardous combustion products  
Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).
- 5.3 Advice for firefighters  
In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures  
For non-emergency personnel  
Remove persons to safety.  
For emergency responders  
Wear breathing apparatus if exposed to vapours/dust/spray/gases.
- 6.2 Environmental precautions  
Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.
- 6.3 Methods and material for containment and cleaning up  
Advice on how to contain a spill  
Covering of drains.  
Other information relating to spills and releases  
Place in appropriate containers for disposal. Ventilate affected area.
- 6.4 Reference to other sections  
Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling  
Recommendations  
Measures to prevent fire as well as aerosol and dust generation  
Use local and general ventilation. Use only in well-ventilated areas.  
Advice on general occupational hygiene  
Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.
- 7.2 Conditions for safe storage, including any incompatibilities  
Managing of associated risks  
Storage class (LGK)  
2 B
- Flammability hazards
- Do not spray on an open flame or other ignition source. Protect from sunlight.  
Consideration of other advice
- Packaging compatibilities
- Only packagings which are approved (e.g. acc. to ADR) may be used.
- 7.3 Specific end use(s)  
No further relevant information available.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

### SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters  
National limit values  
Occupational exposure limit values (Workplace Exposure Limits)  
this information is not available  
Relevant DNELs/DMELs/PNECs and other threshold levels  
Relevant DNELs of components of the mixture

Relevant DNELs of components						
Name of sub-stance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		DNEL	2,035 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		DNEL	773 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		DNEL	44 mg/kg	Human, dermal	Worker (industry)	Chronic - systemic effects
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)		DNEL	330 mg/m <sup>3</sup>	Human, inhalatory	Worker (industry)	Chronic - systemic effects

- 8.2 Exposure controls  
Appropriate engineering controls  
General ventilation.  
Individual protection measures (personal protective equipment)  
Eye/face protection  
Do not spray in eyes. If required use tight-fitting goggles.  
Skin protection  
Hand protection  
Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.  
Type of material  
NBR: acrylonitrile-butadiene rubber.  
Material thickness  
> 0,7 mm  
Breakthrough times of the glove material  
>480 minutes (permeation: level 6)  
Other protection measures  
Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.  
Respiratory protection  
Operate if possible out of doors or in a well-ventilated place. In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).  
Environmental exposure controls  
Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	Aerosol (Spray aerosol)
Colour	Light brown
Odour	Characteristic
Initial boiling point and boiling range	Not applicable, as aerosol.*
Flammability (solid, gas)	flammable aerosol in accordance with GHS criteria
Explosive limits	0.6 vol% - 15 vol%
Flash point	Not applicable, as aerosol.*
Water solubility	Insoluble
Vapour pressure	3.8 bar at 20 °C 6.8 bar at 50 °C
Density	0.68 g/ml at 20 °C

#### 9.2 Other information

##### Other safety characteristics

\* The finished mixture in an aerosol container is formed after addition of propellant. Several details are not measurable in an hermetic closed, pressurized container.

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

Physical stresses which might result in a hazardous situation and have to be avoided

High temperatures.

#### 10.5 Incompatible materials

Oxidisers.

#### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

Germ cell mutagenicity  
Shall not be classified as germ cell mutagenic.  
Carcinogenicity  
Shall not be classified as carcinogenic.  
Reproductive toxicity  
Shall not be classified as a reproductive toxicant.  
• Specific target organ toxicity - single exposure  
May cause drowsiness or dizziness.  
• Specific target organ toxicity - repeated exposure  
Shall not be classified as a specific target organ toxicant (repeated exposure).  
Aspiration hazard  
Shall not be classified as presenting an aspiration hazard.

### 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.  
Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK (Germany) 2, obviously hazardous to water

Aquatic toxicity (chronic) of components					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		EL50	12 mg/l	Aquatic invertebrates	24 h
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		EC50	0.23 mg/l	Aquatic invertebrates	21 d

### 12.2 Persistence and degradability

Degradability of components						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane		Oxygen depletion	83 %	16 d		

### 12.3 Bioaccumulative potential

Bioaccumulative potential of components				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Butane	106-97-8		1.09 (pH value: 7, 20 °C)	
Propane	74-98-6		1.09 (pH value: 7, 20 °C)	
Isobutane	75-28-5		1.09 (pH value: 7, 20 °C)	

### 12.4 Mobility in soil

Data are not available.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08


Date of compilation: 2022-11-29

- 12.5 Results of PBT and vPvB assessment  
According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .
- 12.6 Endocrine disrupting properties  
Does not contain an endocrine disruptor (ED) in a concentration of  $\geq 0,1\%$ .
- 12.7 Other adverse effects  
Data are not available.

### SECTION 13: Disposal considerations

- 13.1 Waste treatment methods  
Sewage disposal-relevant information  
Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.  
Waste treatment of containers/packagings  
It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.  
Relevant provisions relating to waste  
List of wastes  
15 01 04 Metallic packaging  
15 01 10 Packaging containing residues of or contaminated by dangerous substances  
16 05 04 Containing hazardous gases in pressure containers (including halons)  
Remarks  
Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

- 14.1 UN number or ID number  
ADR/RID/ADN  
IMDG-Code  
ICAO-TI
- UN  
1950  
UN  
1950  
UN  
1950
- 14.2 UN proper shipping name  
ADR/RID/ADN  
IMDG-Code  
ICAO-TI
- AEROSOLS  
AEROSOLS  
Aerosols, flammable
- 14.3 Transport hazard class(es)  
ADR/RID/ADN  
IMDG-Code  
ICAO-TI
- 2  
(2.1)  
2.1  
2.1
- 14.4 Packing group  
Not assigned
- 14.5 Environmental hazards  
Hazardous to the aquatic environment
- 14.6 Special precautions for user  
Provisions for dangerous goods (ADR) should be complied within the premises.
- 14.7 Maritime transport in bulk according to IMO instruments  
The cargo is not intended to be carried in bulk.
- Information for each of the UN Model Regulations  
Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) Additional information  
Classification code  
Danger label(s)
- 5F  
2.1  
Fish and tree
- 
- Environmental hazards  
Special provisions (SP)
- Yes (hazardous to the aquatic environment)  
190, 327, 344, 625



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D
International Maritime Dangerous Goods Code (IMDG)Additional information	
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	2.1 Fish and tree



Special provisions (SP)	63, 190, 277, 327, 344, 381, 959
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
EmS	F-D, S-U
Stowage category	-
International Civil Aviation Organization (ICAO-IATA/DGR)Additional information	
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	2.1



Special provisions (SP)	A145, A167
Excepted quantities (EQ)	E0
Limited quantities (LQ)	30 kg

### SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	Relevant provisions of the European Union (EU)	
	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list	
	none of the ingredients are listed	
	Directive 75/324/EEC relating to aerosol dispensers	
	Classification of the gas/aerosol	Extremely flammable
	Labelling	Keep out of reach of children. Pressurized container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F.
	Additional information	-
	Industrial Emissions Directive (IED)	
	VOC content	91.69 %
	Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)	
	none of the ingredients are listed	
	Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)	
	none of the ingredients are listed	
	Water Framework Directive (WFD)	
	none of the ingredients are listed	
	Regulation 648/2004/EC on detergents	
	Labelling of contents.	
	Aliphatic hydrocarbons.	30 % and more.
	Aromatic hydrocarbons.	Less than 5 %.
	Regulation on persistent organic pollutants (POP)	
	none of the ingredients are listed	
	National regulations (Germany)	
	Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous to water)(AwSV)	
	Water hazard class	2 (obviously hazardous to water)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.5	Organic substances		≥ 25 wt%	0.5 kg/h	50 mg/m <sup>3</sup>	3)

Notation

- 3) A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m<sup>3</sup>, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK)

2 B (Aerosol dispensers and lighters)

National inventories

Country	Inventory	Status
EU	REACH Reg.	Not all ingredients are listed

Legend

REACH Reg. REACH registered substances

### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	Yes
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	Yes
2.2		Hazard statements: change in the listing (table)	Yes
2.2		Precautionary statements: change in the listing (table)	Yes
2.2	Hazardous ingredients for labelling: Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyc- lics Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyc- lics, aromatics (2-25%)	Hazardous ingredients for labelling: Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyc- lics, <5% n-hexane	Yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	Yes
3.2		Description of the mixture: change in the listing (table)	Yes
11.1	Skin corrosion/irritation: Shall not be classified as corrosive/irritant to skin.	Skin corrosion/irritation: Causes skin irritation.	Yes
11.1	Other information: Repeated exposure may cause skin dryness or cracking.		Yes

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

- 16.2 Abbreviations and acronyms
- |                 |  |
|-----------------|--|
| ADN             | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways). |
| ADR             | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road).   |
| ADR/RID/ADN     | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN).   |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard.   |
| Asp. Tox.       | Aspiration hazard.   |
| BCF             | Bioconcentration factor.   |
| BOD             | Biochemical Oxygen Demand.   |
| CAS             | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).  |
| CLP             | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  |
| COD             | Chemical oxygen demand.  |
| DGR             | Dangerous Goods Regulations (see IATA/DGR).  |
| DMEL            | Derived Minimal Effect Level.  |
| DNEL            | Derived No-Effect Level.   |
| EC50            | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval.                                      |
| EC No           | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union).                                     |
| ED              | Endocrine disruptor.   |
| EINECS          | European Inventory of Existing Commercial Chemical Substances.   |
| EL50            | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms.  |
| ELINCS          | European List of Notified Chemical Substances.   |
| EmS             | Emergency Schedule.  |
| Flam. Gas       | Flammable gas.   |
| Flam. Liq.      | Flammable liquid.  |
| GHS             | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.   |
| IATA            | International Air Transport Association.   |
| IATA/DGR        | Dangerous Goods Regulations (DGR) for the air transport (IATA).  |
| ICAO            | International Civil Aviation Organization.   |
| ICAO-TI         | Technical instructions for the safe transport of dangerous goods by air.   |
| IMDG            | International Maritime Dangerous Goods Code.   |
| IMDG-Code       | International Maritime Dangerous Goods Code.   |
| LGK             | Lagerklasse (storage class according to TRGS 510, Germany).  |
| Log KOW         | n-Octanol/water.   |
| NLP             | No-Longer Polymer.   |
| PBT             | Persistent, Bioaccumulative and Toxic.   |
| PNEC            | Predicted No-Effect Concentration.   |
| Press. Gas      | Gas under pressure.  |
| REACH           | Registration, Evaluation, Authorisation and Restriction of Chemicals.  |
| RID             | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail).   |
| Skin Corr.      | Corrosive to skin.   |
| Skin Irrit.     | Irritant to skin.  |
| STOT SE         | Specific target organ toxicity - single exposure.  |
| SVHC            | Substance of Very High Concern.  |
| TRGS            | Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).  |
| VOC             | Volatile Organic Compounds.  |
| VPvB            | Very Persistent and very Bioaccumulative.  |
- 16.3 Key literature references and sources for data
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.  
Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).  
International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for the air transport (IATA).
- 16.4 Classification procedure
- Physical and chemical properties. The classification is based on tested mixture.  
Health hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).
- 16.5 List of relevant phrases (code and full text as stated in section 2 and 3)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

## OPN-Rust Remover MOS 2

Version number: 2.0  
Revision: 2024-01-08

Date of compilation: 2022-11-29

---

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.