

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05

Date of compilation: 2015-10-09

SECTI	ON 1: Identification of the substance/mixture and of the	company/undertaking
1.1	Product identifier Trade name	OPN-Zinc Repair spray - bright silver -
	Unique formula identifier (UFI) Other means of identification	X4TM-G5SD-C003-YV1U
	Article number	63120
	Tariff No.	32089091
1.2	Relevant identified uses of the substance or mixture and uses advise Relevant identified uses	ed against Professional use Consumer use (private households) Industrial use Paint, coating and lacquer
	Sector of use	Corrosion protection and reparation paint
	Uses advised against	Do not use for products which come into contact with foodstuffs
1.3	Details of the supplier of the safety data sheet OPN-CHEMIE GmbH In der Au 14 57290 Neunkirchen	
	www.opn-chemie.de	
	Competent person responsible for the safety data sheet	Barbara Angelika Gros-Petri
	e-mail (competent person)	baerbel.petri@opn-chemie.de
1.4	Emergency telephone number Emergency information service	Poison Information Center Freiburg +49(0)761/19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Hazard class and category	Hazard state- ment
2.3 Aerosols		Aerosol 1	H222,H229
3.3 Serious eye damage/eye irritation		Eye Irrit. 2	H319
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	STOT SE 3	H335
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	STOT SE 3	H336
4.1C	Hazardous to the aquatic environment - chronic hazard	Aquatic Chronic 3	H412

Code	Supplemental nazard information
EUH066	Repeated exposure may cause skin dryness or cracking

Remarks

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS02, GHS07



OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05

Date of compilation: 2015-10-09

Hazard statements		
H222	Extremely flammable aerosol.	
H229	Pressurised container: May burst if hea	ated.
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H412	Harmful to aquatic life with long lasting	effects.
Precautionary statemer	nts	
P102	Keep out of reach of children.	
P210	Keep away from heat, hot surfaces, sp	arks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or othe	r ignition source.
P251	Do not pierce or burn, even after use.	
P261	Avoid breathing spray.	
P271	Use only outdoors or in a well-ventilate	
P305+P351+P338	IF IN EYES: Rinse cautiously with wat do. Continue rinsing.	er for several minutes. Remove contact lenses, if present and easy to
P312	Call a POISON CENTER/doctor if you	feel unwell.
P410+P412	Protect from sunlight. Do not expose to	o temperatures exceeding 50°C / 122°F.
P501	Dispose of contents / container in acco	ordance with national regulations of the disposal.
Additional labelling req	uirements	
EUH066 Buildup of explosive mi	Repeated exposure may cause skin dry xtures possible without sufficient ventilation.	ness or cracking.
Hazardous ingredients	for labelling	Acetone Hydrocarbons, C9, aromatics
Other hazards		
Results of PBT and vPv	/B assessment	
i his mixture does not d	contain any substances that are assessed to	De a PBT of a VPVB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture).

3.2 Mixtures

2.3

Description of the mixture Mixture of substances listed below with nonhazardous additio					
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	
Butane	CAS No 106-97-8 EC No 203-448-7 REACH Reg. No 01-2119474691- 32-xxxx	25 – < 50	Flam. Gas 1A / H220 Press. Gas L / H280		
Acetone	CAS No 67-64-1 EC No 200-662-2 REACH Reg. No 01-2119471330- 49-xxxx 01-2119498062- 37-xxxx	10 – < 25	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336 EUH066		

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05

Date of compilation: 2015-10-09

Name of substance	ldentifier	Wt%	Classification GHS		Pictograms	
Propane	CAS No 74-98-6	10 – < 25	Flam. Gas 1A / H220 Press. Gas C / H280			
	EC No 200-827-9					v v
	REACH Reg. No 01-2119486944- 21-xxxx					
Hydrocarbons, C9, aromatics	CAS No 64742-95-6	5 – < 10	Flam. Liq. 3 STOT SE 3 STOT SE 3	3 / H335 🛛 🗛		
	EC No 918-668-5		Asp. Tox. 1 Aquatic Acute	/ H304 1 / H400		
	REACH Reg. No 01-2119455851- 35-xxxx		Aquatic Chronic 2 / H411		\checkmark	
Aluminium	CAS No 7429-90-5	1 – < 5	Flam. Sol. 1 / H228			
	EC No 231-072-3				\checkmark	
	REACH Reg. No 01-2119529243- 45-xxxx					
Isobutane	CAS No 75-28-5	1 – < 5	Flam. Gas 1 Press. Gas			
	EC No 200-857-2				\sim \sim	
	REACH Reg. No 01-2119485395- 27-xxxx					
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyclics, < 2% aromatics	CAS No 64742-48-9	0.25 – < 1	- < 1 Acute Tox. 3 / H331 Asp. Tox. 1 / H304 Aquatic Chronic 3 / H412 EUH066			
2 % aromatics	EC No 918-481-9				\checkmark \checkmark	
	REACH Reg. No 01-2119457273- 39-xxxx					
Name of substance	Specific Con	c. Limits	M-Factors	ATE	Exposure route	

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrocarbons, C10-C13, n- alkanes, isoalkanes, cyclics, < 2% aromatics	-	-	>9.3 ^{mg/} l/4h	Inhalation: vapour

3.3 Remarks

For full text of abbreviations: see SECTION 16

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05

Date of compilation: 2015-10-09

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take offi mmediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

- 4.2 Most important symptoms and effects, both acute and delayed
- Narcotic effects.
- 4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water spray. BC-powder. Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

Hazardous combustion products

Carbon monoxide (CO). Carbon dioxide (CO2).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel Remove persons to safety. For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

Methods and material for containment and cleaning up Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

6.3

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05 Date of compilation: 2015-10-09

SECT	FION 7: Handling and storage
7.1	Precautions for safe handling Recommendations Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas. Advice on general occupational hygiene
	Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before enter- ing eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.
7.2	Conditions for safe storage, including any incompatibilities

Managing of associated risks

Storage class (LGK)

2 B

· Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

Consideration of other advice

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

8.1

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Control parameters National limit values Occupational exposure limit values (Workplace Exposure Limits) this information is not available Relevant DNELs/DMELs/PNECs and other threshold levels Relevant DNELs of components of the mixture

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Acetone	67-64-1	DNEL	1,210 mg/ m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Acetone	67-64-1	DNEL	2,420 mg/ m ³	Human, inhalatory	Worker (industry)	Acute - local effects
Acetone	67-64-1	DNEL	186 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
Hydrocarbons, C9, aromatics	64742-95-6	DNEL	150 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Hydrocarbons, C9, aromatics	64742-95-6	DNEL	25 mg/kg bw/day	Human, dermal	Worker (industry)	Chronic - systemic effects
Aluminium	7429-90-5	DNEL	3.72 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - local ef- fects

Relevant PNECs of components of the mixture

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Acetone	67-64-1	7-64-1 PNEC 100 ^{mg/}		Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Acetone	67-64-1	PNEC	21 ^{mg/} l	Aquatic organisms	Water	Intermittent release

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Date of compilation: 2015-10-09

Version number: 4.0 Revision: 2023-04-05

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Acetone	67-64-1	PNEC	10.6 ^{mg/} l	Aquatic organisms	Freshwater	Short-term (single instance)
Acetone	67-64-1	PNEC	1.06 ^{mg/} l	Aquatic organisms	Marine water	Short-term (single instance)
Acetone	67-64-1	PNEC	100 ^{mg/I}	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
Acetone	67-64-1	PNEC	30.4 ^{mg/} kg	Aquatic organisms	Freshwater sedi- ment	Short-term (single instance)
Acetone	67-64-1	PNEC	3.04 ^{mg/} kg	Aquatic organisms	Marine sediment	Short-term (single instance)
Acetone	67-64-1	PNEC	29.5 ^{mg/} kg	Terrestrial organ- isms	Soil	Short-term (single instance)
Aluminium	7429-90-5	PNEC	74.9 ^{µg/} I	Aquatic organisms	Freshwater	Short-term (single instance)
Aluminium	7429-90-5	PNEC	20 ^{mg/} l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Do not spray in eyes. If required use tight-fitting goggles.

Skin protection

Hand protection

Wear suitable gloves.

Type of material

NBR: acrylonitrile-butadiene rubber.

Material thickness

> 0,7 mm

Breakthrough times of the glove material >480 minutes (permeation: level 6)

Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Operate if possible out of doors or in a well-ventilated place. In case of inadequate ventilation wear respiratory protection. Type: A-P2 (combined filters against particles and organic gases and vapours, colour code: Brown/White).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

OPN-Zinc Repair spray - bright silver -

	number: 4.0 I: 2023-04-05		Date	of compilation: 2015-10-09
SECTI	ON 9: Physical and chemical properties			
9.1	Information on basic physical and chemical properties Physical state Colour Odour Initial boiling point and boiling range Flammability (solid, gas) Explosive limits Flash point Water solubility Vapour pressure	Silve Char Not a flam 5 vol Not a Insolu	acteristic pplicable, as aerosol.* nable aerosol in accordance with G % - 15 vol% pplicable, as aerosol.*	GHS criteria
			ar at 50 °C	
	Density	0.67	g/mI at 20 °C	
9.2	Other information			
	Other safety characteristics * The finished mixture in an aerosol container is former closed, pressurized container.	d after addition of pro	opellant. Several details are not me	easurable in an hermetic
SECTI	ON 10: Stability and reactivity			
10.1	Reactivity			
	Concerning incompatibility: see below "Conditions to a of ignition.	void" and "Incompati	ble materials". The mixture contair	ns reactive substance(s). Risk
10.2	Chemical stability			
	See below "Conditions to avoid".			
10.3	Possibility of hazardous reactions No known hazardous reactions.			
10.4	Conditions to avoid Do not spray on an open flame or other ignition source Hints to prevent fire or explosion Protect from sunlight. Physical stresses which might result in a hazardous sit High temperatures.			
10.5	Incompatible materials Oxidisers.			
10.6	Hazardous decomposition products Reasonably anticipated hazardous decomposition prod ous combustion products: see section 5.	ducts produced as a	result of use, storage, spill and hea	ating are not known. Hazard-
SECTI	ON 11: Toxicological information			
11.1	Information on hazard classes as defined in Regulation Test data are not available for the complete mixture. Classification procedure The method for classification of the mixture is based of Classification according to GHS (1272/2008/EC, CLP) Acute toxicity Shall not be classified as acutely toxic.	n ingredients of the r		
	Acute toxicity estimate (ATE) of components of the m	ixture		
	Name of substance	CAS No	Exposure route	ATE
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	64742-48-9	Inhalation: vapour	>9.3 ^{mg/} l/4h

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05

Date of compilation: 2015-10-09

Skin corrosion/irritation
Shall not be classified as corrosive/irritant to skin.
Serious eye damage/eye irritation
Causes serious eye irritation.
Respiratory or skin sensitisation
Shall not be classified as a respiratory or skin sensitiser.
Germ cell mutagenicity
Shall not be classified as germ cell mutagenic.
Carcinogenicity
Shall not be classified as carcinogenic.
Reproductive toxicity
Shall not be classified as a reproductive toxicant.
 Specific target organ toxicity - single exposure
May cause respiratory irritation. May cause drowsiness or dizziness.
 Specific target organ toxicity - repeated exposure
Shall not be classified as a specific target organ toxicant (repeated exposure).
Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects. Ordinance on systems for handling water-polluting substances (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK (Germany) 2, obviously hazardous to water

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	Name of substance CAS No		Value	Species	Exposure time
Acetone	67-64-1	EC50	61.15 ^{g/} l	Microorganisms	30 min
Hydrocarbons, C9, aro- matics	64742-95-6	EL50	4.1 ^{mg/} l	Aquatic invertebrates	24 h
Hydrocarbons, C9, aro- matics	64742-95-6	EC50	>99 ^{mg/} l	Microorganisms	10 min
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	64742-48-9	LL50	>1,000 ^{mg/} l	Fish	24 h
Hydrocarbons, C10- C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	64742-48-9	EL50	>1,000 ^{mg/} l	Aquatic invertebrates	24 h

12.2 Persistence and degradability

Degradability of co	omponents of the m	ixture				
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Acetone	67-64-1	Carbon dioxide generation	90.9 %	28 d		ECHA
Hydrocarbons, C9, aromatics	64742-95-6	Oxygen deple- tion	30.9 %	2 d		ECHA

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05

Date of compilation: 2015-10-09

Degradability of components of the mixture						
Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- lics, < 2% aro- matics	64742-48-9	Oxygen deple- tion	10 %	5 d		ECHA
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- lics, < 2% aro- matics	64742-48-9	Carbon dioxide generation	0 %	3 d		ECHA

12.3 Bioaccumulative potential

Bioaccumulative potential of compone	ents of the mixture			
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Butane	106-97-8		1.09 (pH value: 7, 20 °C)	
Acetone	67-64-1		-0.23	963.5
Propane	74-98-6		1.09 (pH value: 7, 20 °C)	
Isobutane	75-28-5		1.09 (pH value: 7, 20 °C)	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	64742-48-9	≥44.6 – ≤5,362	≥3.17 – ≤7.22	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

15 01 04 Metallic packaging

15 01 10 Packaging containing residues of or contaminated by dangerous substances

16 05 04 Containing hazardous gases in pressure containers (including halons)

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

OPN-Zinc Repair spray - bright silver -

	number: 4.0 n: 2023-04-05	Date of compilation: 2015-10-09
SECT	ION 14: Transport information	
14.1	UN number or ID number ADR/RID/ADN	UN 1950
	IMDG-Code ICAO-TI	UN 1950 UN 1950
14.2	UN proper shipping name ADR/RID/ADN IMDG-Code	AEROSOLS AEROSOLS
14.3	ICAO-TI Transport hazard class(es) ADR/RID/ADN	Aerosols, flammable
	IMDG-Code ICAO-TI	(2.1) 2.1 2.1
14.4	Packing group	Not assigned
14.5	Environmental hazards	Non-environmentally hazardous acc. to the dangerous goods regulations
14.6 14.7	Special precautions for user Provisions for dangerous goods (ADR) should be complied within the Maritime transport in bulk according to IMO instruments	e premises.
	The cargo is not intended to be carried in bulk. Information for each of the UN Model Regulations	
	Transport of dangerous goods by road, rail and inland waterway (ADI Classification code	5F
	Danger label(s)	2.1
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ) Transport category (TC) Tunnel restriction code (TRC) International Maritime Dangerous Goods Code (IMDG)Additional info Marine pollutant Danger label(s)	190, 327, 344, 625 E0 1 L 2 D ormation - 2.1
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ) EmS Stowage category International Civil Aviation Organization (ICAO-IATA/DGR)Additional i Danger label(s)	63, 190, 277, 327, 344, 381, 959 E0 1 L F-D, S-U - information 2.1
	Special provisions (SP) Excepted quantities (EQ) Limited quantities (LQ)	A145, A167 E0 30 kg

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Date of compilation: 2015-10-09

Version	number: 4.0	
Revision	: 2023-04-05	

ION 15. Regulatory in	ornation								
Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII none of the ingredients are listed List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list none of the ingredients are listed Directive 75/324/EEC relating to aerosol dispensers									
Classification of the gas/aerosol		Extremely flammable							
Labelling		Keep out of reach of children. Pressurized container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. D not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C / 122 °F.							
Additional information Deco-Paint Directive		-							
VOC content		91.2 %							
611 ^{g/} I The maximum content of VOC of the product in a ready to use con- dition									
Maximum VOC content	Maximum VOC content limit								
Product category	Produ	ct subcategory	Coating	Туре	VOC g/l				
Vehicle refinishing products	٤	pecial finishes	All types		840				
none of the ingredients ar Water Framework Direction none of the ingredients ar Regulation on persistent of None of the ingredients a Regulation (EU) 2019/11/ explosives precursors, an Meldepflichtige Ausganges Substance is listed: Acetor National regulations (Gerr	of the use of certain h e listed e (WFD) e listed organic pollutants (POI re listed. H8 of the European Pai ending Regulation (Ed stoffe für Explosivstoffe n (CAS-Nr. 67-64-1). / nany)	liament and of the Council of 20 J C) No 1907/2006 and repealing Re	une 2019 on the marketing gulation (EU) No 98/2013 90-5).	and use of					
Water hazard class 2 (obviously hazardous to water) Technical instructions on air quality control (Germany)									

Number	Group of substances	Class	Conc.	Mass flow	Mass con- centration	Notation
5.2.5	Organic substances		≥ 25 wt%	0.5 ^{kg/} h	50 ^{mg/} m³	3)

Notation

A total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter) 3)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK)

2 B (Aerosol dispensers and lighters)

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Revision: 2023-04-05

Date of compilation: 2015-10-09

Country	Inventory	Status
EU	REACH Reg.	Not all ingredients are listed

Legend

REACH Reg. REACH registered substances

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

16.1 Indication of changes (revised safety data sheet)

Alignment to regulation. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14 Insertion: UFI: X4TM-G5SD-C003-YV1U

16.2 Abbreviations and acronyms

Abbreviations and	acronyms
Acute Tox.	Acute toxicity.
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways).
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the Interna- tional Carriage of Dangerous Goods by Road).
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ ADN).
Aquatic Acute	Hazardous to the aquatic environment - acute hazard.
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard.
Asp. Tox.	Aspiration hazard.
ATE	Acute Toxicity Estimate.
BCF	Bioconcentration factor.
BOD	Biochemical Oxygen Demand.
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances).
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
COD	Chemical oxygen demand.
DGR	Dangerous Goods Regulations (see IATA/DGR).
DMEL	Derived Minimal Effect Level.
DNEL	Derived No-Effect Level.
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 %
EC No	changes in response (e.g. on growth) during a specified time interval. The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of
EC NU	substances commercially available within the EU (European Union).
EINECS	European Inventory of Existing Commercial Chemical Substances.
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test
LLOU	organisms.
ELINCS	European List of Notified Chemical Substances.
EmS	Emergency Schedule.
Eve Dam.	Seriously damaging to the eye.
Eye Irrit.	Irritant to the eye.
Flam. Gas	Flammable gas.
Flam. Liq.	Flammable liquid.
Flam. Sol.	Flammable solid.
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations.
IATA	International Air Transport Association.
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA).
ICAO	International Civil Aviation Organization.
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air.
	International Maritime Dangerous Goods Code.
IMDG-Code LGK	International Maritime Dangerous Goods Code. Lagerklasse (storage class according to TRGS 510, Germany).
LGR LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality.
Log KOW	n-Octanol/water.
NLP	No-Longer Polymer.
PBT	Persistent, Bioaccumulative and Toxic.
PNEC	Predicted No-Effect Concentration.
Press. Gas	Gas under pressure.
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals.
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning
	the International carriage of Dangerous goods by Rail).
STOT SE	Specific target organ toxicity - single exposure.
SVHC	Substance of Very High Concern.
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany).

OPN-Zinc Repair spray - bright silver -

Version number: 4.0 Date of compilation: 2013 Revision: 2023-04-05		
	VOC VPvB	Volatile Organic Compounds. Very Persistent and very Bioaccumulative.
16.3	Key literature references and sources for data	
	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.	
	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	
16.4	Classification procedure	
	Physical and chemical properties. The classification is based on tested mixture. Health hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).	
16.5	List of relevant phrases (code and full text as stated in section 2 and 3)	
	H220 H222 H225 H226 H228 H229 H280 H304 H319 H331 H335 H336 H400 H411	Extremely flammable gas. Extremely flammable aerosol. Highly flammable liquid and vapour. Flammable liquid and vapour. Flammable solid. Pressurised container: May burst if heated. Contains gas under pressure; may explode if heated. May be fatal if swallowed and enters airways. Causes serious eye irritation. Toxic if inhaled. May cause respiratory irritation. May cause drowsiness or dizziness. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.